



Easy Steps to Better Sleep: 0 to 6 Month Old Infant

WHAT IS SLEEP LIKE FOR YOUR CHILD AT THIS STAGE?



Good sleep is essential for every child as sleep has a significant impact on learning and behavioural development. Adequate sleep quantity and good sleep quality contribute to optimal brain function and the overall growth and health of your child. When your child sleeps well, it also reduces the disruptions to your family's sleep.

Establishing good sleeping habits at this stage is vital to meet your child's increasing cognitive demands. Good sleep practices in the early days can have a significant impact on his/her sleep in later months, and form a foundation for his/her sleep in later years.

SLEEP PATTERNS

- Sleep-wake cycles in the early months are largely driven by hunger. An established sleep pattern usually begins when your child is 4 months old.¹
- It is normal for breast-fed children to have slightly shorter sleeping periods compared to formula-fed children due to the easier digestibility of breast milk. The benefits of breastfeeding are tremendous and it is recommended that all children be breastfed for up to 6 months for optimal growth and health.²
- By the 4th month, your child would have developed some sleep consolidation, which refers to the ability to sleep for a prolonged period during the night hours. Children in this phase would sleep for longer hours in the night and take 2 to 3 daytime naps.
- Your child should sleep for an average of 12 to 15 hours in a day with brief arousals every 50 to 60 minutes.³

¹ Mindell, J. A., & Owens, J. A. (2015). A Clinical Guide to Pediatric Sleep: Diagnosis and Management of Sleep Problems. Wolters Kluwer Health.

² World Health Organization. (n.d.). Breastfeeding. [Who.int/health-topics/breastfeeding#tab=tab_2](https://www.who.int/health-topics/breastfeeding#tab=tab_2)

³ Health Hub. (n.d.). Parent Hub: 0-2 Years – Baby Sleep. <https://www.healthhub.sg/programmes/183/parent-hub/baby-toddler/baby-sleep>





GOOD SLEEP HABITS

- Establish a consistent bedtime routine. Make feeding the first activity of the routine to avoid associating feeding with falling asleep. A similar but shorter routine can be applied during naptimes.
- Ensure consistent responses to your child whenever he/she awakens. Put your child to bed when he/she is drowsy but awake to allow your child to learn to self-soothe. Avoid carrying, feeding, or rocking your child to sleep as this would cultivate a sleep-onset association.
- Visit the Health Hub website by scanning the QR code for more tips on good sleeping habits for your child.



SLEEP CHALLENGES

0 to 3 months: Day-night reversal

Presentation

Day-night reversal occurs when newborns have frequent wakings during the night and spend more time sleeping during the day.

Management

- Increase daytime activity.
- Expose your child to natural light during the day.
- Dim the lights in your child's bedroom at night.
- Reinforce appropriate self-soothing practices by putting your child to bed when he/she is drowsy but awake.



4 to 6 months: Night wakings

Presentation

Brief arousals every 50 to 60 minutes are expected. Children who have learnt to self-soothe are able to put themselves back to sleep. However, children who are unable to self-soothe would cry out for attention, necessitating caregiver intervention to fall back to sleep.

Management

- Implement a sleep schedule with consistent bedtime and daytime naps to ensure sufficient sleep for your child.
- Establish a consistent bedtime routine.
- If needed, allow your child to use the same transitional object (e.g., soft toy) at bedtime and naptime.
- Put your child to bed when he/she is drowsy but awake to allow your child to learn to self-soothe.



USEFUL TIPS

Temporary sleep disruptions may occur, especially with acute illnesses. Parents should continue with consistent sleep routines and schedules while reinforcing self-soothing practices.

Contact your doctor if your child is persistently difficult to soothe or if you have any concerns with your child's sleep.

About the National University Centre for Women and Children

National University Centre for Women and Children (NUWoC) is a national university specialist centre that aims to empower women, children and their families to lead healthier lives. We provide comprehensive medical and surgical services ranging from pre-conception to child and maternal health.

NUWoC comprises the Department of Obstetrics & Gynaecology (O&G) and Khoo Teck Puat - National University Children's Medical Institute (KTP-NUCMI) of National University Hospital. It focuses on the right-siting of appropriate services in the community and builds complementary services in National University Health System's (NUHS) centres of excellence — Ng Teng Fong General Hospital and Alexandra Hospital.

Through a generous gift from the Estate of Khoo Teck Puat, KTP-NUCMI established an integrated outpatient facility with medical, diagnostic and rehabilitation services for children. We are also the only public specialist centre in Singapore that offers paediatric kidney and liver transplant programmes.

For more information about us, visit www.nuh.com.sg/NUWoC.

Contact Us

Children's Emergency (24-hr)

Location: NUH Main Building, Zone F, Level 1
Contact: +65 6772 5000

KTP-NUCMI

Location: NUH Main Building, Zone E, Level 2
(Accessible via Kent Ridge Wing,
Zone C, Level 2, Lift Lobby C)
Operating Hours: 8.30am – 5.30pm (Mon to Fri),
8.30am – 12.30pm (Sat)
General Enquiry: +65 6772 5736
Appointment Line: +65 6908 2222
Email: ktpnucmi_appt@nuhs.edu.sg

9a Viva-University Children's Cancer Centre

Location: NUH Medical Centre, Zone B, Level 9
Operating Hours: 8am – 5.30pm (Mon to Fri)
Appointment Line: +65 6772 5030
Fax: +65 6872 4314
Email: cbccappt@nuhs.edu.sg

NUH Children's Urgent Care Clinic @ Bukit Panjang

Location: Junction 10, 1 Woodlands Road,
#01-22, Singapore 677899
Operating Hours: 9am – 11pm daily
(including public holidays)
General Enquiry: +65 6219 1538
Email: childreucc@nuhs.edu.sg
Website: www.nuh.com.sg/ucc

NUH Child Development Unit @ JMC

Location: Jurong Medical Centre, 60 Jurong West
Central 3, Level 2, Singapore 648346
Operating Hours: 8.30am – 5.30pm (Mon to Fri)
Appointment Line: +65 6665 2530/2531
Fax: +65 6665 0158
Email: cdu@nuhs.edu.sg
Website: www.nuh.com.sg/cdu

NUH Child Development Unit @ Keat Hong

Location: Keat Hong Community Club,
2 Choa Chu Kang Loop, #03-01, Singapore 689687
Operating Hours: 8.30am – 5.30pm (Mon to Fri)
Appointment Line: +65 6769 4537/4637
Fax: +65 6665 0158
Email: cdu@nuhs.edu.sg
Website: www.nuh.com.sg/cdu

NUWoC Children's Clinic @ NTF6H

Location: Ng Teng Fong General Hospital,
Tower A – Specialist Outpatient Clinics, Level 2
Operating Hours: 8.30am – 5.30pm (Mon to Fri)
Appointment Line: +65 6908 2222
Fax: +65 6716 2200
Email: appointment@nuhs.edu.sg



Scan QR code for
NUH Campus Map

Our Patient Care Institutions

National University Hospital

Ng Teng Fong General Hospital &
Jurong Community Hospital

Alexandra Hospital

National University Polyclinics

Jurong Medical Centre

National University Cancer Institute, Singapore

National University Heart Centre, Singapore

National University Centre for Oral Health, Singapore

NUHS Diagnostics

NUHS Pharmacy



Scan the QR code for more information on our patient care institutions.



Scan QR code for more information on NUWoC facilities.

OneNUHS Hotline: (65) 6908 2222

OneNUHS General Enquiries: contactus@nuhs.edu.sg

OneNUHS Appointments: appointment@nuhs.edu.sg

www.nuhs.edu.sg

Take charge of your health and access health information and services across NUHS institutions.

Download the OneNUHS App now!



Scan to download

The information in this brochure is meant for educational purposes and should not be used as a substitute for medical diagnosis or treatment. Please seek your doctor's advice before starting any treatment, or if you have any questions related to your health, physical fitness or medical condition.

©2024, National University Hospital. All rights reserved. No part of this publication may be reproduced or shared without prior permission from National University Hospital.

Information is correct at time of printing (Jan 2024) and subject to revision without prior notice.