






# Do you know Where to Go when your child is unwell?

Priority will be given to critical cases.

Waiting times may vary with patient volume.

 <b>Family Clinic/GP</b>	 <b>Urgent Care Clinic</b>	 <b>Children's Emergency</b>
<ul style="list-style-type: none"> <li>• Cough, runny nose, sore throat</li> <li>• Fever in children above 3 months old</li> <li>• Fever of less than 5 days</li> <li>• Ear pain</li> <li>• Mild vomiting and diarrhoea</li> <li>• Fussy baby</li> <li>• Sprains or strains</li> <li>• Constipation</li> <li>• Hand, Foot and Mouth Disease</li> <li>• Minor cuts and wounds</li> <li>• Medical condition for clearance and reviews</li> </ul> 	<ul style="list-style-type: none"> <li>• Worsening fever in children between 3 months to 1 year old</li> <li>• Prolonged fever for more than 5 days</li> <li>• Persistent vomiting</li> <li>• Minor asthma or wheeze</li> <li>• Fractures or broken bones that are not crooked</li> <li>• Minor cuts or wounds</li> <li>• Minor burns</li> <li>• Moderate allergies</li> </ul> 	<ul style="list-style-type: none"> <li>• Shortness of breath</li> <li>• Blue or purple lips, skin or fingernails</li> <li>• Chest pain</li> <li>• Severe stomach pain</li> <li>• Uncontrolled pain</li> <li>• Seizures</li> <li>• Animal or human bites</li> <li>• Severe bleeding or burns</li> <li>• Head/spinal cord injuries</li> <li>• Fever in children below 3 months old</li> <li>• Severe allergic reactions</li> <li>• Poisoning</li> <li>• Suicidal thoughts or attempts</li> </ul> 